
Aquaculture Research

Volume 33
Pages 1-1282



Blackwell
Publishing

Published by Blackwell Publishing

Editorial Offices:

Blackwell Publishing Ltd, 23 Ainslie Place, Edinburgh EH3 6AJ, UK

Blackwell Publishing Ltd, Osney Mead, Oxford OX2 0EL, UK

Blackwell Publishing Asia Pty Ltd, 550 Swanston Street, Carlton South, Melbourne, VIC 3053, Australia

TK Building, 2-38-14, Hongo, Bunkyo-ku, Tokyo 113-0033, Japan

Blackwell Publishing Europe Ltd, 10 rue Casimir Delavigne, F-75006 Paris, France

Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, D-10707 Berlin, Germany

Blackwell Publishing KK, MG Kodenmacho Building, 3F, 7-10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 103-0001, Japan

Blackwell Publishing Inc., Suite 500, 5th Floor, 238 Main Street, Cambridge, MA 012142, USA

© 2002 Blackwell Science Ltd (a Blackwell Publishing Company)

All rights reserved. With the exception of fair dealing for the purposes of research or private study, or criticism or review, no part of this publication may be reproduced, stored or transmitted in any form or by any means without the prior permission in writing from the copyright holder. Authorization to photocopy items for internal and personal use is granted by the copyright holder for libraries and other users of the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923, USA (www.copyright.com), provided the appropriate fee is paid directly to the CCC. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale.

ISSN 1355-557X

Typeset by Kolam Information Services Pvt. Ltd

Printed by Information Press, Oxford

Contents

Volume 33, Number 1, 5 January 2002

- 1 The efficiency and condition of oysters and macroalgae used as biological filters of shrimp pond effluent
A B Jones, N P Preston and W C Dennison
- 21 Cold tolerance of the banana prawn *Penaeus merguensis* de Man and its growth at different temperatures
T Hoang, S Y Lee, C P Keenan and G E Marsden
- 27 Promotion and contribution of biota in low water exchange ponds farming blue shrimp *Litopenaeus stylirostris* (Stimpson)
L R Martinez-Cordova, A Campaña-Torres and M A Porchas-Cornejo
- 33 Respiration rates of the Japanese pearl oyster, *Pinctada fucata martensii*, feeding on *Pavlova lutheri* and *Chaetoceros gracilis*
Y Tomaru, S Ebisuzaki, Z Kawabata and S-I Nakano
- 37 Preslaughter electrical stunning of eels
D H F Robb, S B Wotton and J W van de Vis
- 43 Comparison of freshwater and marine performances of all-female diploid and triploid Atlantic salmon (*Salmo salar* L.)
D Cotter, V O'Donovan, A Drumm, N Roche, E N Ling and N P Wilkins
- 55 Water column production and nutrient characteristics in mangrove creeks receiving shrimp farm effluent
A D McKinnon, L A Trott, D M Alongi and A Davidson
- 75 Zeolites and diatom growth
M Nieves, D Voltolina, A Medina, P Piña and J L Ruiz

Volume 33, Number 2, 31 January 2002

- 81 Simulation of inorganic nitrogen dynamics and shrimp survival in an intensive shrimp culture system
R A Montoya, A L Lawrence, W E Grant and M Velasco
- 95 Biological and technical evaluation of the potential of marine and anadromous fish species for cold-water mariculture
N R Le François, H Lemieux and P U Blier
- 109 Effect of water temperature and chlorophyll abundance on shell growth of the Japanese pearl oyster, *Pinctada fucata martensii*, in suspended culture at different depths and sites
Y Tomaru, Y Kumatabara, Z Kawabata and S Nakano
- 117 Studies on the effect of using the rotifer, *Brachionus plicatilis*, treated with different nutritional enrichment media and antibiotics on the growth and survival of blue-fin sea bream, *Sparidentex hasta* (Valenciennes) larvae
T Abu-Rezq, K Al-Abdul-Elah, R Duremdez, A Al-Marzouk, C M James, H Al-Gharabally and J Al-Shimmari
- 129 Growth and fry production of Nile tilapia, *Oreochromis niloticus* (L.), on different feeding schedules
C B Santiago and M A Laron

Short communications

- 137 Rearing of sharpsnout seabream (*Diplodus puntazzo*, Cetti 1777) in a Mediterranean fish farm: monoculture versus polyculture
E Favalaro, L Lopiano and A Mazzola

- 141 Mortality of rainbow trout [*Oncorhynchus mykiss* (Walbaum)] associated with freshwater dinoflagellate bloom [*Peridinium polonicum* (Woloszynska)] in a fish farm
J Roset, A Gibello, S Aguayo, L Domínguez, M Álvarez, J F Fernández-Garayzabal, A Zapata and M J Muñoz
- 147 Effects of dietary aloe on chemiluminescent responses of peripheral blood phagocytes and resistance against *Edwardsiella tarda* Ewing and McWhorter 1965, in the cultured olive flounder, *Paralichthys olivaceus* (Temminck et Schlegel)
K H Kim, Y J Hwang, K W Kim, S C Bai and D S Kim

Volume 33, Number 3, 28 February 2002

- 151 Evaluation of raw and hydrothermally processed leguminous seeds as supplementary feed for the growth of two Indian major carp species
S K Garg, A Kalla and A Bhatnagar
- 165 Effects of *in vitro* exposure to ozone and/or hyperoxia on superoxide dismutase, catalase, glutathione and lipid peroxidation in red blood cells and plasma of rainbow trout, *Oncorhynchus mykiss* (Walbaum)
O Ritola, L D Peters, D R Livingstone and P Lindström-Seppä
- 177 Growth, feed utilization and growth heterogeneity in juvenile turbot *Scophthalmus maximus* (Rafinesque) under different photoperiod regimes
M Ó Stefánsson, R D FitzGerald and T F Cross
- 189 Growth, feed utilization and nutrient digestibility in tilapia fingerlings (*Oreochromis aureus* Steindachner) fed diets containing bacteria-treated coffee pulp
J B Ulloa R. and J A J Verreth
- 197 Effects of alternate starvation and refeeding cycles on food consumption and compensatory growth of abalone, *Haliotis asinina* (Linnaeus)
A C Fermin
- 203 Influence of sediment phosphorus on utilization efficiency of phosphate fertilizer: a mesocosm study
J N Bhakta and B B Jana
- 217 The effect of light intensity on development and hatching success of lingcod, *Ophiodon elongatus* (Girard), eggs
M A Cook and M B Rust
- 223 Sunflower seed meal as a protein source in diets for *Tilapia rendalli* (Boulanger, 1896) fingerlings
M A Olvera-Novoa, L Olivera-Castillo and C A Martínez-Palacios

Volume 33, Number 4, 23 March 2002

- 231 *Nematopsis marinus* n. sp., a new septate gregarine from cultured penaeoid shrimp *Litopenaeus vannamei* (Boone), in Ecuador
R Jiménez, L de Barniol and M Machuca
- 241 The use of a geographical information system for land-based aquaculture planning
I McLeod, F Pantus and N Preston
- 251 Impact of spectral composition on larval haddock, *Melanogrammus aeglefinus* L., growth and survival
G Downing
- 261 Effects of different dietary levels of L-ascorbyl-2-polyphosphate on growth and tissue vitamin C concentrations in juvenile olive flounder, *Paralichthys olivaceus* (Temminck et Schlegel)
X Wang, K Kim and S C Bai
- 269 Phytoplankton succession in intensive marine shrimp culture ponds treated with a commercial bacterial product
F M Yusoff, M S Zubaidah, H B Matias and T S Kwan

- 279 Growth and nutrient utilization of Murray cod *Maccullochella peelii peelii* (Mitchell) fingerlings fed diets with varying levels of soybean meal and blood meal
N W Abery, R M Gunasekera and S S De Silva
- 291 Analysis of expressed sequence tags from a yellowtail, *Seriola quinqueradiata* (Temminck & Schlegel), head kidney cDNA library
T Kono, K Okamoto and M Sakai
- 299 Effects of temperature and salinity on the reproductive success of Arctic charr, *Salvelinus alpinus* (L.): egg composition, milt characteristics and fry survival
C B Atse, C Audet and J de la Nouë

Volume 33, Number 5, 18 April 2002

- 311 Effect of predigested protein on growth and survival of Atlantic halibut larvae (*Hippoglossus hippoglossus* L.)
A Kvåle, T Harboe, M Espe, T Næss and K Hamre
- 323 Evaluation of head-only and head-to-tail electrical stunning of farmed eels (*Anguilla anguilla*, L.) for the development of a humane slaughter method
E Lambooi, J W van de Vis, R J Kloosterboer and C Pieterse
- 333 Trypsin enzyme activity during larval development of *Litopenaeus vannamei* (Boone) fed on live feeds
A C Puello-Cruz, R S Sangha, D A Jones and L Le Vay
- 339 Karyotype analysis of *Oreochromis mortimeri* (Trewavas) and *Sarotherodon melanotheron* (Rüppell)
S C Harvey, S F Powell, D D Kennedy, B J McAndrew and D J Penman
- 343 Effect of esterification on the absorption of astaxanthin in rainbow trout, *Oncorhynchus mykiss* (Walbaum)
D A White, G I Page, J Swaile, A J Moody and S J Davies
- 351 Spawning behaviour of *Penaeus* (*Fenneropenaeus*) *merguensis* de Man and the effect of light intensity on spawning
T Hoang, S Y Lee, C P Keenan and G E Marsden
- 359 The use of AquaMats[®] to enhance growth and improve fin condition among raceway cultured rainbow trout *Oncorhynchus mykiss* (Walbaum)
R E Arndt, M D Routledge, E J Wagner and R F Mellenthin
- 369 Method for determining the physical stability of shrimp feeds in water
L G Obaldo, S Divakaran and A G Tacon

Short communication

- 379 Preliminary report on nursery and grow-out culture of hatchery-bred grouper (*Epinephelus coioides* Hamilton) in ponds
I Bombeo-Tuburan, E B Coniza and E Rodriguez

Volume 33, Number 6, 14 May 2002

- 383 Correlation between dietary lipid:protein ratios and plasma growth and thyroid hormone levels in juvenile Arctic charr, *Salvelinus alpinus* (Linnaeus)
C Cameron, R Gurure, K Reddy, R Moccia and J F Leatherland
- 395 Assessment of requirement values for essential amino acids in the prawn, *Marsupenaeus saponicus* (Bate)
S Teshima, M S Alam, S Koshio, M Ishikawa and A Kanazawa
- 403 Asian carp farming systems: towards a typology and increased resource use efficiency
C G J Michielsens, K Lorenzen, M J Phillips and R Gauthier
- 415 Effects of feeding rates on growth and production of Nile tilapia, common carp and silver carp polycultured in fertilized ponds
A E Abdelghany and M H Ahmad

- 425 Growth and survival of selected aquatic animals in two saline groundwater evaporation basins: an Australian case study
B A Ingram, L J McKinnon and G J Gooley
- 437 Effects of hypoxia and hyperoxia on growth and food conversion efficiency in the spotted wolffish *Anarhichas minor* (Olafsen)
A Foss, T H Evensen and V Oiestad
- 445 Exposure of taste buds to potassium permanganate and formalin suppress the gustatory neural response in the Nile tilapia, *Oreochromis niloticus* (Linnaeus)
S Y Yacoob, K. Anraku, M V Archdale, T Matsuoka and S Kiyohara
- 455 *Vibrio harveyi* isolated from cage-cultured seabass *Lates calcarifer* Bloch in the Philippines
E A Tendencia

Volume 33, Number 7, 6 June 2002

- 459 Editorial
M Jobling
- 461 Dynamics of intracohort cannibalism in cultured fish
E Baras and M Jobling
- 481 Feeding dynamics in fish experiencing cycles of feed deprivation: a comparison of four species
L Wu, S Xie, X Zhu, Y Cui and R J Wootton
- 491 Circadian rhythms and individual variability of self-feeding activity in groups of rainbow trout *Oncorhynchus mykiss* (Walbaum)
W-M Chen, M Naruse and M Tabata
- 501 The effect of demand feeding on swimming speed and feeding responses in Atlantic salmon *Salmo salar* L., gilthead sea bream *Sparus aurata* L. and European sea bass *Dicentrarchus labrax* L. in sea cages
J E Andrew, C Noble, S Kadri, H Jewell and F A Huntingford
- 509 Feed discrimination and selection in self-fed European sea bass *Dicentrarchus labrax* L.
M Paspatis, D Maragoudaki and M Kentouri
- 515 Is there lipostatic regulation of feed intake in Atlantic salmon *Salmo salar* L.?
S J S Johansen, M Ekli and M Jobling
- 525 Feed intake of Atlantic salmon parr *Salmo salar* L. in relation to temperature and feed composition
E Å Bendiksen, M Jobling and A M Arnesen
- 533 Adiposity and growth of post-smolt Atlantic salmon *Salmo salar* L.
M Jobling, A V Larsen, B Andreassen and R L Olsen
- 543 Influence of feeding frequency on growth and size dispersion in Arctic charr *Salvelinus alpinus* (L.)
T E Petursdottir

Volume 33, Number 8, 2 July 2002

- 547 The effect of common carp, *Cyprinus carpio* (L.) and mrigal, *Cirrhinus mrigala* (Hamilton) as bottom feeders in major Indian carp polycultures
M A Wahab, M M Rahman and A. Milstein
- 557 An analysis of refractometry as a method of determining blood total protein concentration in the American lobster *Homarus americanus* (Milne Edwards)
G Ozbay and J G Riley
- 563 Interaction between diet and genetic aptitude for weight and growth in juvenile rainbow trout, *Oncorhynchus mykiss* (Walbaum)
J M Blanc
- 569 Proteolytic enzyme activity of juvenile Asian sea bass, *Lates calcarifer* (Bloch), is increased with protein intake
P S Eusebio and R M Coloso

- 575 Use of decapsulated *Artemia* cysts in ornamental fish culture
L C Lim, Y L Cho, P Dhert, C C Wong, H Nelis and P Sorgeloos
- 591 The effects of soybean, linseed and marine oils on aerobic gut microbiota of Arctic charr *Salvelinus alpinus* L. before and after challenge with *Aeromonas salmonicida* ssp. *salmonicida*
E Ringø, J B Lødemel, R Myklebust, L Jensen, V Lund, T M Mayhew and R E Olsen
- 607 Antibody response in sea bass (*Dicentrarchus labrax* L.) in relation to water temperature and oxygenation
S Cecchini and M Saroglia
- 615 Environmental factors and sexual differentiation in *Poecilia sphenops* Valenciennes (Pisces: Poeciliidae)
B Barón S, F Bückle R and S Espina
- 621 Effects of stocking density and feeding levels on growth and feed efficiency of Nile tilapia (*Oreochromis niloticus* L.) fry
A-F M El-Sayed
- 627 The use of clove oil as an anaesthetic for the longfinned eel, *Anguilla reinhardtii* (Steindachner)
C T Walsh and B C Pease
- 637 Growth and survival of young turbot (*Scophthalmus maximus* L.) produced with cryopreserved sperm
O Chereguini, I García de la Banda, I Rasines and A. Fernández

Volume 33, Number 9, 28 July 2002

- 643 A feasible method for humane slaughter of eel (*Anguilla anguilla* L.): electrical stunning in fresh water prior to gutting
E Lambooij, J W van de Vis, H Kuhlmann, W Münkner, J Oehlenschläger, R J Kloosterboer and C Pieterse
- 653 Nutritional evaluation of dhaincha (*Sesbania aculeata*) seeds as dietary protein source for tilapia *Oreochromis niloticus*
M A Hossain, U Focken and K Becker
- 663 Characterization of protease activity in developing discus *Symphysodon aequifasciata* larva
A Chong, R Hashim, L-C Lee and A bin Ali
- 673 Optimum dietary protein level for maximum growth of juvenile olive flounder *Paralichthys olivaceus* (Temminck et Schlegel)
K W Kim, X J Wang and S C Bai
- 681 Replacement of live food with microbound diet in feeding *Litopenaeus setiferus* (Burkenroad) larvae
P P Gallardo, R Pedroza-Islas, T García-Galano, C Pascual, C Rosal, A Sánchez and G Gaxiola
- 693 Comparative growth of cultured blue mussels, *Mytilus edulis*, *M. trossulus* and their hybrids, in naturally occurring mixed-species stocks
R W Penney, M J Hart and N Templeman
- 703 Slaughtering method and dietary α -tocopheryl acetate supplementation affect *rigor mortis* and fillet shelf-life of turbot (*Scophthalmus maximus* L.)
N Ruff, R D FitzGerald, T F Cross, G Teurtrie and J P Kerry
- 715 Influence of dietary fat level and whole-body adiposity on voluntary energy intake by juvenile rainbow trout *Oncorhynchus mykiss* (Walbaum) under self-feeding conditions
T Yamamoto, T Shima, H Furuta and N Suzuki
- 725 Availability of protein and energy from three protein sources in hybrid sturgeon *Acipenser guldensadtii* X *A. bester*
G Degani

Short communications

- 729 Growth of the abalone *Haliotis tuberculata* L. at Scottish sea temperatures
M S Kelly and P V Owen
- 735 An analogue of GnRH is effective for induction of ovulation and spermiation in farmed Siberian sturgeon, *Acipenser baeri* Brandt
P Williot, T Gulyas and C Ceapa

Volume 33, Number 10, 21 August 2002

- 739 Fat dynamics of Atlantic salmon *Salmo salar* L. smolt during early seawater growth
M Jobling, B Andreassen, A V Larsen and R L Olsen
- 747 Tolerance response to water pH in larvae of two marine fish species, gilthead seabream, *Sparus aurata* (L.) and Senegal sole, *Solea senegalensis* (Kaup), during development
G Parra and M Yúfera
- 753 Artificial spawning of carp, *Cyprinus carpio* (L.)
E Brzuska and H Białowas
- 767 A description of the ovarian development stages of penaeid shrimps from the coast of Pakistan
Z Ayub and M Ahmed
- 777 Increased stocking density influences the acute physiological stress response of common carp *Cyprinus carpio* (L.)
N M Ruane, E C Carballo and J Komen
- 785 Water quality and plankton densities in mixed shrimp-mangrove forestry farming systems in Vietnam
D Johnston, M Lourey, D Van Tien, T T Luu and T T Xuan
- 799 Disaggregation rates of extruded salmon feed pellets: influence of physical and biological variables
A R J Stewart and J Grant
- 811 Preliminary study on the use of synthetic substrate for juvenile stage production of the yabby, *Cherax destructor* (Clark) (Decapoda: Parastacidae)
P L Jones, T Thanuthong and P Kerr

Volume 33, Number 11, 12 September 2002

- 819 Embryonic development and larval and post-larval growth of the tropical scallop *Nodipecten* (= *Lyropecten*) *nodosus* (L. 1758) (Mollusca: Pectinidae)
J P De la Roche, B Marín, L Freitas and A Vélez
- 829 Capture and handling stress affects the endocrine and ovulatory response to exogenous hormone treatment in snapper, *Pagrus auratus* (Bloch & Schneider)
J J Cleary, S C Battaglene and N W Pankhurst
- 839 Carbon and nitrogen dynamics in zero-water exchange shrimp culture as indicated by stable isotope tracers
M A Epp, D A Ziemann and D M Schell
- 847 Breeding cycle of the northern scallop, *Argopecten purpuratus* (Lamarck, 1819) in southern Chile
M L González, M C Pérez and D A López
- 853 Digestibility and feeding value of some feed ingredients fed to tilapia *Oreochromis niloticus* (L.)
J G Maina, R M Beames, D Higgs, P N Mbugua, G Iwama and S M Kisia
- 863 Observations on growth, sexual maturity and spawning performance of pond-reared *Penaeus merguensis*
T Hoang, S Y Lee, C P Keenan and G E Marsden
- 875 Influence of a dietary shift on temporal changes in fat deposition and fatty acid composition of Atlantic salmon post-smolt during the early phase of seawater rearing
M Jobling, A V Larsen, B Andreassen, T Sigholt and R L Olsen
- 891 Response to T₃ treatment and changing environmental salinity of liver lipid composition, mitochondrial respiration and (Na⁺ + K⁺)-ATPase activity in rainbow trout *Oncorhynchus mykiss* Walbaum
M Pirini, A Pagliarini, V Ventrella, F Trombetti, G Trigari and A R Borgatti
- 907 Cortisol and haematological response in sea bream and trout subjected to the anaesthetics clove oil and 2-phenoxyethanol
L Tort, M Puigcerver, S Crespo and F Padrós
- 911 Book review

Volume 33, Number 12, 8 October 2002

- 913 Optimal feed pellet size for culturing juvenile spiny lobster *Jasus edwardsii* (Hutton, 1875) in New Zealand
J K Sheppard, M P Bruce and A G Jeffs
- 917 Genetic differences in growth among wild populations of the yabby, *Cherax destructor* (Clark)
D R Jerry, I W Purvis and L R Piper
- 925 Transfer of toxaphene and chlordane into farmed rainbow trout, *Oncorhynchus mykiss* (Walbaum) via feed
H Karl, H Kuhlmann and K Oetjen
- 933 Temperature preference and acclimation in *Poecilia sphenops* (Pisces, Poeciliidae)
M Hernández, L F Bückle and S Espina
- 941 Studies on fish heterosis with DNA fingerprinting
J Wang and D Xia
- 949 Selectivity of the rotifer *Brachionus plicatilis* fed mixtures of algal species with various cell volumes and cell densities
G N Hotos
- 959 Effect of fish size and temperature on the utilization of different protein sources in two catfish species
N Usmani and A K Jafri
- 969 Growth performance and use of natural food by *Oreochromis niloticus* (L.) in polyculture systems with *Barbodes gonionotus* (Bleeker) and *Cyprinus carpio* (L.) in intensively cultivated rice fields
N Vromant, C Q Nam and F Ollevier
- 979 Long-term evaluation of extruded diets compared with raw fish moist diet for growing Korean rockfish, *Sebastes schlegelii* (Hilgendorf)
K-W Kim, X Wang, S-M Choi, S C Bai, Y-H Choi and S-H Choi
- 987 Pigmentation of gilthead seabream, *Sparus aurata* (L. 1875), using *Chlorella vulgaris* (Chlorophyta, Volvocales) microalga
L Gouveia, G Choubert, N Pereira, J Santinha, J Empis and E Gomes
- 995 The effects of variation in feed protein level on the culture of white shrimp, *Litopenaeus vannamei* (Boone) in low-water exchange experimental ponds
L R Martinez-Cordova, A Campaña-Torres and M A Porchas-Cornejo
- 999 Plasma lysozyme levels in sheatfish *Silurus glanis* (L.) subjected to stress and experimental infection with *Edwardsiella tarda*
D Caruso, O Schlumberger, C Dahm and J-P Proteau

Volume 33, Number 13, 31 October 2002

- 1009 Novel effects of salinity and water reuse on growth of juvenile New Zealand turbot, *Colistium nudipinnis* (Waite 1910), a potential aquaculture species
R W Hickman, P Redfearn and M J Tait
- 1019 Optimizing intertidal Pacific oyster (Thunberg) culture, Houhora Harbour, northern New Zealand
S J Handley
- 1031 Nursery rearing of the Asian catfish, *Clarias macrocephalus* (Günther), at different stocking densities in cages suspended in tanks and ponds
R F Bombeo, A C Fermin and J D Tan-Fermin
- 1037 Evaluation of Nile tilapia pond management strategies in Egypt
B W Green, Z El Nagdy and H Hebicha
- 1049 Gametogenic patterns of the larviparous oyster *Ostrea nomades* from Karachi, Pakistan (northern Arabian Sea)
G Siddiqui and M Ahmed

- 1059 Fillet shelf-life of Atlantic halibut *Hippoglossus hippoglossus* L. fed elevated levels of α -tocopheryl acetate
N Ruff, R D FitzGerald, T F Cross and J P Kerry
- 1073 Digestive protease activity in juvenile *Farfantepenaeus californiensis* as a function of dissolved oxygen and temperature
L Ocampo and J M Ezquerro
- 1081 Cultivation of *Gracilaria* (Rhodophyta) in shrimp pond effluents in Brazil
E Marinho-Soriano, C Morales and W S C Moreirar

Short communications

- 1087 Development of an immunofluorescent antibody technique (IFAT) and *in situ* hybridization to detect *Flavobacterium psychrophilum* in water samples
I N Vatsos, K D Thompson and A Adams
- 1091 Replacement of fresh dietary components by a dry feed for successful maturation of male *Litopenaeus vannamei* (Boone) broodstock
M Perez-Velazquez, A L Lawrence, D M Gatlin, III, M L González-Félix and W A Bray
- 1097 Compensatory growth in the spotted wolffish *Anarhichas minor* (Olafsen) after a period of limited oxygen supply
A Foss and A K Imsland

Volume 33, Number 14, 26 November 2002

- 1103 Environmental effects of common carp *Cyprinus carpio* (L.) and mrigal *Cirrhinus mrigala* (Hamilton) as bottom feeders in major Indian carp polycultures
A Milstein, M A Wahab and M M Rahman
- 1119 Growth and survival of first-feeding spotted wolffish (*Anarhichas minor* Olafsen) at various temperature regimes
T K Hansen and I-B Falk-Petersen
- 1129 Toxicity of chlorine to different sizes of black tiger shrimp (*Penaeus monodon*) in low-salinity shrimp pond water
Husnah and C K Lin
- 1137 Effects of feeding diets containing various dietary protein and lipid ratios on the growth performance and pigmentation of post-juvenile coho salmon *Oncorhynchus kisutch* reared in sea water
Judy
C K Chan, Jason Mann, Brent J Skura, Mahmoud Rowshandeli, Nahid Rowshandeli and David A Higgs
- 1157 Further studies on the use of mixed feeding schedules with plant- and animal-based diets for common carp *Cyprinus carpio* (Linnaeus)
M C Nandeesha, B Gangadhara and J K Maniserry
- 1163 Effects of steam pelleting or extrusion on digestibility and performance of silver perch *Bidyanus bidyanus*
M A Booth, G L Allan, A J Evans and V P Gleeson
- 1175 Temperature-dependent pharmacokinetics and tissue distribution of oxolinic acid in sea bass, *Dicentrarchus labrax* L., after a single intravascular injection
G Rigos, M Alexis, A Andriopoulou and I Nengas
- 1183 Preliminary evaluation of pea seed meal in diets for gilthead sea bream (*Sparus aurata*) juveniles
T G Pereira and A Oliva-Teles

Short communications

- 1191 Occurrence of hypomelanization in cultured yellowtail flounder *Limanda ferruginea*
C F Purchase, D L Boyce and J A Brown
- 1195 Sequencing of 16S-23S rRNA internal transcribed spacer and its application in the identification of *Nocardia seriolae* by polymerase chain reaction
Tomoya Kono, Tsuyoshi Ooyama, Shih-Chu Chen and Masahiro Sakai

Volume 33, Number 15, 19 December 2002

- 1199 Nutritive value of palm kernel meal pretreated with enzyme or fermented with *Trichoderma koningii* (Oudemans) as a dietary ingredient for red hybrid tilapia (*Oreochromis* sp.)
Wing-Keong Ng, H-A Lim, S-L Lim and C-O Ibrahim
- 1209 Lipid composition of malpigmented and normally pigmented newly settled yellowtail flounder, *Limanda ferruginea* (Storer)
L A Copeman and C C Parrish
- 1221 Management strategies associating batch-graded and size-graded postlarvae can reduce heterogeneous individual growth in *Macrobrachium rosenbergii* (de Man)
K Ranjeet and B Madhusoodana Kurup
- 1233 Feeding behaviour, energy expenditure and growth of rainbow trout in relation to stocking density and food accessibility
T Boujard, L Labbé and B Aupérin
- 1243 Maturation and spawning performance of pond-reared *Penaeus merguensis* in different combinations of temperature, light intensity and photoperiod
T Hoang, S Y Lee, C P Keenan and Gay E Marsden
- 1253 Sex-specific growth and condition of the Pacific oyster (*Crassostrea gigas* Thunberg)
B C Baghurst and J. G Mitchell
- 1265 Economic analysis of a pilot commercial production for spotted babylon, *Babylonia areolata* (Link 1807), of marketable sizes using a flow-through culture system in Thailand
N Chaitanawisuti, S Kritsanapuntu and Y Natsukari
- 1273 Author Index
- 1279 Keyword Index